

Publications of Interest

AJRR has compiled this list of scientific and academic journal articles pertaining to orthopaedic registries, hip and knee arthroplasty, orthopaedic implants, and other scholarly work conducted by members of the AJRR Board of Directors.

www.ajrr.net | (847) 292-0530 | info@ajrr.net

A
Abdulemir A, Sundberg M, Robertsson O, Dahlberg LE, Thorstensson CA, Redlund-Johnell I, Kristiansson I, Lindstrand A. **Dissatisfied patients after total knee arthroplasty: A registry study involving 114 patients with 8–13 years of follow-up.** *Acta Orthopaedica*. 2014 June; 85(3):229-33. doi: 10.3109/17453674.2014.916487

Adams AL, Paxton EW, Wang JQ, Johnson ES, Bayliss EA, Ferrara A, Nakasato C, Bini SA, Namba RS. **Surgical outcomes of total knee replacement according to diabetes status and glycemic control, 2001 to 2009.** *J Bone Joint Surg Am*. 2013 Mar 20; 95(6):481-87. doi: 10.2106/JBJS.L.00109

Ali A, Sundberg M, Robertsson O, Dahlberg LE, Thorstensson CA, Redlund-Johnell I, Kristiansson I, Lindstrand A. **Dissatisfied patients after total knee arthroplasty: A registry study involving 114 patients with 8-13 years of follow-up.** *Acta Orthopaedica*. 2014 June; 85(3):229-233. doi: 10.3109/17453674.2014.916487

Allepuz A, Serra-Sutton V, Martínez O, Tebé C, Nardi J, Portabella F, Espallargues M, on behalf of the Catalan Arthroplasty Register (RACat). **Arthroplasty registers as post-marketing surveillance systems: the catalan arthroplasty register.** *Rev Esp Cir Ortop Traumatol (English Edition)*. 2013 January-February; 57(1):27-37.

Ardaugh BM, Graves SE, Redberg RF. **The 510(k) ancestry of a metal-on-metal hip implant.** *NEJM*. January 10, 2013; 368(2):97-100.

Arterburn D, Wellman R, Westbrook E, Rutter C, Ross T, McCulloch D, Handley M, Jung C. **Introducing decision aids at Group Health was linked to sharply lower hip and knee surgery rates and costs.** *Health Affairs*. 2012 Sept; 31(9):2094-2104.

B
Badawy M, Espehaug B, Indrekvam K, Engesaeter LB, Havelin LI, Furnes O. **Influence of hospital volume on revision rate after total knee arthroplasty with cement.** *J Bone Joint Surg Am.*, 2013 Sept 18; 95(18):e131 1-6. doi: 10.2106/JBJS.L.00943

Badawy M, Espehaug B, Indrekvam K, Havelin LI, Furnes O. **Higher revision risk for unicompartmental knee arthroplasty in low-volume hospitals.** *Acta Orthopaedica*. 2014 Aug; 85(4):342-47. doi: s10.3109/17453674.2014.920990

Baker PN, Petheram T, Dowen D, Jameson SS, Avery PJ, Reed MR, Deehan DJ. **Early PROMs following total knee arthroplasty—Functional outcome dependent on patella resurfacing.** *J Arthroplasty*. 2014 Feb; 29(2):314-19. doi:10.1016/j.arth.2013.05.001

Barsoum WK, Higuera CA, Tellez A, Klika AK, Brooks PJ, Patel PD. **Design, implementation, and comparison of methods for collecting implant registry data at different hospital types.** *J Arthroplasty*. 2012 June; 27(6):842-50.

Bini SA, Khatod M, Inacio MCS, Paxton EW. **Same-day versus staged bilateral total knee arthroplasty poses no increase in complications in 6672 primary procedures.** *J Arthroplasty*. 2014 Apr; 29(4):694-97. doi:10.1016/j.arth.2012.09.009

Blömer W, Steinbrück A, Schröder C, Grothaus F-J, Melsheimer O, Mannel H, Forkel G, Eilers T, Liebs TR, Hassenpflug J, Jansson V. **A new universal, standardized implant database for product identification: a unique tool for arthroplasty registries.** *Arch Orthop Trauma Surg*. July 2015; 135(7): 919-926. doi: 10.1007/s00402-015-2238-2.

Bozic KJ, Belkora J, Chan V, Youm J, Zhou T, Dupaix J, Bye AN, Braddock CH, Chenok KE, Huddleston JI. **Shared decision making in patients with osteoarthritis of the hip and knee results of a randomized controlled trial.** *J Bone Joint Surg Am*. 2013 Sept 18; 95(18):1633-39.

Bozic KJ, Ward L, Vail TP, Maze M. **Bundled payments in total joint arthroplasty: targeting opportunities for quality improvement and cost reduction.** *Clin Orthop Relat Res.* 2014 Jan; 472(1):188-93. doi: 10.1007/s11999-013-3034-3

Brinkman JM, Bubra PS, Walker P, Walsh W, Bruce W. **Mid-Term results using a medial pivot total knee replacement – single centre, single surgeon outcome compared to the Australian National Joint Registry Data.** *Bone Joint J.* 2013; 95-B(S15):24.

C

Carr AJ, Robertsson O, Graves S, Price AJ, Arden NK, Judge A, Beard DJ. **Knee Replacement.** *The Lancet* 2012; 379:1331

Cook T. **Anaesthetists' engagement in National Joint Registry data collection.** . February 2014; 69(2):180. doi: 10.1111/anae.12582

Cram P, Lu X, Kates SL, Singh JA, Li Y, Wolf BR. **Total knee arthroplasty volume, utilization, and outcomes among medicare beneficiaries. 1991-2010.** *JAMA.* September 26, 2012; 308 (12):1227-36.

D

Dave A, Jang B, Bruce W. **A short-term follow-up study of a surgeon-customised fully-coated hydroxyapatite femoral stem using a nation-wide joint registry.** *J Orthopaedics.* 2016 June; 13(2): 90–94. doi:10.1016/j.jor.2015.12.001

Delaunay C, Hamadouche M, Girard J, Duhamel A, and The SoFCOT Group. **What are the causes for failures of primary hip arthroplasties in France?** *Clin Orthop Relat Res.* 2013 Dec; 471(12):3863-69. doi: 10.1007/s11999-013-2935-5

Devane P, Horne G, Gehling DJ. **Oxford hip scores at 6 months and 5 years are associated with total hip revision within the subsequent 2 years.** *Clin Orthop Relat Res.* December 2013; 471(12):3870–3874. doi: 10.1007/s11999-013-2880-3

E

Ellison P, Hallan G, Høl PJ, Gjerdet NR, Havelin LI. **Coordinating retrieval and register studies improves postmarket surveillance.** *Clin Orthop Relat Res.* November, 2012 470 (11):2995-3002.

Elson LC, Barr CJ, Chandran SE, Hansen VJ, Malchau H, Kwon Y-M. **Are morbidly obese patients undergoing total hip arthroplasty at an increased risk for component malpositioning?** *J Arthroplasty.* September 2013; 28(8) Supplement:41-44.

Engh CA, MacDonald SJ, Sritulanondha S, Korczak A, Naudie D, Engh C. **Metal ion levels after metal-on-metal total hip arthroplasty: A five-year, prospective randomized trial.** *J Bone Joint Surg Am.* March 19, 2014; 96(6):448-455. doi: 10.2106/JBJS.M.00164

F

Franklin PD, Allison JJ, Ayres DC. **Beyond joint implant registries: a patient-centered research consortium for comparative effectiveness in total joint replacement.** *JAMA.* September 26, 2012; 308 (12):1217-1218.

G

Gioe TJ. **Shared decision making in orthopaedic surgery: more than two to tango?: Commentary on an article by Kevin J. Bozic, MD, MBA, et al.: “shared decision making in patients with osteoarthritis of the hip and knee. Results of a randomized controlled trial”.** *J Bone Joint Surg Am.* September 18, 2013; 95(18):E136 1-2.

Gordon M, Rysinska A, Garland A, Rolfson O, Aspberg S, Eisler T, Garellick G, Stark A, Hailer NP, Sköldenberg O. **Increased Long-Term Cardiovascular Risk After Total Hip Arthroplasty A Nationwide Cohort Study.** *Medicine.* February 2016 [epub ahead of print]. doi: 10.1097/MD.0000000000002662

Griffiths EJ, Stevenson D, Porteous MJ. **Cost savings of using a cemented total hip replacement: An analysis of the National Joint Registry data.** *J Bone Joint Surg Br.* August 2012 94-B:1032-1035. doi: 10.1302/0301-620X.94B8.28717

H

Hart AJ, Muirhead-Allwood S, Porter M, Matthies A, Ilo K, Maggiore P, Underwood R, Cann P, Cobb J, Skinner JA. **Which factors determine the wear rate of large-diameter metal-on-metal hip replacements? Multivariate analysis of two hundred and seventy-six components.** *J Bone Joint Surg Am.* April 17, 2013; 95(8):678-685. doi: 10.2106/JBJS.J.01447

Hawker GA, Badley EM, Borkhoff CM, Croxford R, Davis AM, Dunn S, Gignac MA, Jaglal SB, Kreder HJ, Sale JEM. **Which patients are most likely to benefit from total joint arthroplasty? Arthritis & Rheumatism.** May 2013; 65(5):1243-1252. doi: 10.1002/art.37901

Huang D-C T, Tatman P, Mehle S, Gioe TJ. **Cumulative revision rate is higher in metal-on-metal THA than metal-on-polyethylene THA: analysis of survival in a community registry.** *Clin Orthop Relat Res.* June 2013; 471(6):1920-1925. doi: 10.1007/s11999-013-2821-1

Hunt LP, Ben-Shlomo Y, Clark EM, Dieppe P, Judge A, MacGregor AJ, Tobias JH, Vernon K, Blom AW. **45-day mortality after 467,779 knee replacements for osteoarthritis from the National Joint Registry for England and Wales: an observational study.** *The Lancet.* 2014 Oct; 384(9952):1429-36. doi: 10.1016/S0140-6736(14)60540-7

Hunt LP, Ben-Shlomo Y, Clark EM, Dieppe P, Judge A, MacGregor AJ, Tobias JH, Vernon K, Blom AW. **90-Day mortality after 409 096 total hip replacements for osteoarthritis, from the National Joint Registry for England and Wales: A retrospective analysis.** *The Lancet.* September 28, 2013; 382(9898):1097-1104.

I
Ibrahim SA, Franklin PD. **Race and elective joint replacement: where a disparity meets patient preference.** *Am J Public Health.* April 2013; 103(4):583-584.

Inacio MCS, Ake CF, Paxton EW, Khatod M, Wang C, Gross TP, Kaczmarek RG, Marinac-Dabic M, Sedrakyan A. **Sex and Risk of Hip Implant Failure: Assessing Total Hip Arthroplasty Outcomes in the United States.** *JAMA Intern Med.* 2013 Mar; 173(6):435-41. doi: 10.1001/jamainternmed.2013.3271

Insull PJ, Cobbett H, Frampton CM, Munro JT. **The use of a lipped acetabular liner decreases the rate of revision for instability after total hip replacement: A study using data from the New Zealand Joint Registry.** *Bone Joint J.* 2014 July; 96-B(7):884-888. doi: 10.1302/0301-620X.96B7.33658

J
Jämsen E, Eskelinen A, Peltola M, Mäkelä K. **High early failure rate after cementless hip replacement in the octogenarian.** *Clin Orthop Relat Res.* September 2014; 472(9):2779-2789.

Jameson SS, Baker PN, Charman SC, Deehan DJ, Reed MR, Gregg PJ, Van der Meulen JH. **The effect of aspirin and low-molecular-weight heparin on venous thromboembolism after knee replacement: A non-randomised comparison using National Joint Registry Data.** *J Bone Joint Surg Br.* July 2012 94-B:914-918 doi: 10.1302/0301-620X.94B7.29129

Jameson SS, Baker PN, Mason J, Rymaszewska M, Gregg PJ, Deehan DJ, Reed MR. **Independent predictors of failure up to 7.5 years after 35 386 single-brand cementless total hip replacements: a retrospective cohort study using national joint registry data.** *The Bone & Joint Journal.* June 2013; 95B(6):747-757.

Jameson SS, Mason J, Baker P, Gregg PJ, McMurtry IA, Deehan DJ, Reed MR. **A comparison of surgical approaches for primary hip replacement: A cohort study of patient reported outcome measures (PROMs) and early revision using linked national databases.** *J Arthroplasty.* 2014 June; 29(6):1248-55. doi: 10.1016/j.arth.2013.11.027

Jameson SS, Mason J, Baker P, Gregg PJ, Porter M, Deehan DJ, Reed MR. **Have cementless and resurfacing components improved the medium-term results of hip replacement for patients under 60 years of age? Patient-reported outcome measures, implant survival, and costs in 24,709 patients.** *Acta Orthopædica.* 2014 Oct; [Epub ahead of print].

Jayatilaka MLT, Perry D, Cope MR. **Accuracy of the national joint registry data at a surgeon level: A comparison of three years of data entry between the national joint registry and an individual surgeons logbook.** *Bone Joint J.* 2013; 95B(s27):14.

K
Kandala N-B, Connock M, Pulikottil-Jacob R, Sutcliffe P, Crowther MJ, Grover A, Mistry H, Clarke A. **Setting benchmark revision rates for total hip replacement: Analysis of registry evidence.** *BMJ.* March 9, 2015; 350:h756.

Khatod M, Cafri G, Namba RS, Inacio MCS, Paxton EW. **Risk factors for total hip arthroplasty aseptic revision.** *J Arthroplasty.* 2013 Sept; 28(8):122-27. doi:10.1016/j.arth.2014.01.023

- Kirksey M, Chiu, YL, Ma Y, Della Valle AG, Poutlsides L, Gerner P, Memtsoudis SB. **Trends in In- Hospital major morbidity and mortality after total joint arthroplasty: United States 1998–2008.** *Survey of Anesthesiology*. February, 2013; 57(1):37-38.
- Kremers HM, Sierra RJ, Schleck CD, Berry DJ, Cabanela ME, Hanssen AD, Pagnano MW, Trousdale RT, Lewallen DG. **Comparative survivorship of different tibial designs in primary total knee arthroplasty.** *J Bone Joint Surg Am*. July 16, 2014; 96(14):e121. doi: 10.2106/JBJS.M.00820
- Kremers HM, Visscher SL, Kremers WK, Naessens JM, Lewallen DG. **The effect of obesity on direct medical costs in total knee arthroplasty.** *J Bone Joint Surg Am*. May 7, 2014; 96(9):718-724. doi: 10.2106/JBJS.M.00819
- Krupic F, Eisler T, Eliasson T, Garellick G, Gordon M, Kärrholm J. **No influence of immigrant background on the outcome of total hip arthroplasty: 140,299 patients born in Sweden and 11,539 immigrants in the Swedish Hip Arthroplasty Register.** *Acta Orthopaedica*. 2013 Feb; 84(1):18-24. doi: 10.3109/17453674.2013.765640
- Kurtz SM, Ong KL, Lau E, Bozic KJ. **Impact of the economic downturn on total joint replacement demand in the United States: Updated projections to 2021.** *J Bone Joint Surg Am*. April 16, 2014; 96(8):624-630. doi: 10.2106/JBJS.M.00285
- Kwon Y-M, Lombardi AV, Jacobs JJ, Fehring TK, Lewis CG, Cabanela ME. **Risk stratification algorithm for management of patients with metal-on-metal hip arthroplasty: consensus statement of the American Association of Hip and Knee Surgeons, the American Academy of Orthopaedic Surgeons, and The Hip Society.** *J Bone Joint Surg Am*. Jan 1, 2014; 96(1):e4-6. doi: 10.2106/JBJS.M.00160
- Kynaston-Pearson F, Ashmore AM, Malak TT, Rombach I, Taylor A, Beard D, Arden NK, Price A, Prieto-Alhambra D, Judge A, Carr AJ, Glyn-Jones S. **Primary hip replacement prostheses and their evidence base: systematic review of literature.** *BMJ*. December 19, 2013; 347. doi:10.1136/bmj.f6956
- Kyriacou S, Pastides PS, Singh VK, Jeyaseelan L, Sinisi M, and Fox M. **Exploration and neurolysis for the treatment of neuropathic pain in patients with a sciatic nerve palsy after total hip replacement.** *The Bone & Joint Journal*. January, 2013; 95-B(1):20-22.

L

- Lalmohamed A, Vestergaard P, Klop C, Grove EL, de Boer A, Leufkens HGM, van Staa TP, de Vries F. **Timing of Acute Myocardial Infarction in Patients Undergoing Total Hip or Knee Replacement.** *Arch Intern Med*. September 2012 172(16):1229-1235. doi:10.1001/archinternmed.2012.2713
- Liddle AD, Judge A, Pandit H, Murray DW. **Adverse outcomes after total and unicompartmental knee replacement in 101,330 matched patients: A study of data from the National Joint Registry for England and Wales.** *The Lancet*. 2014 Oct; 384(9952):1437-45. doi:10.1016/S0140-6736(14)60419
- Lindberg-Larsen M, Jorgensen CC, Hansen TB, Solgaard S, Kehlet H. **Early morbidity after aseptic revision hip arthroplasty in Denmark a two-year nationwide study.** *Bone Joint J*. 2014 Nov; 96-B(11):1464-1471. doi: 10.1302/0301-620X.96B11.33949
- Lindgren JV, Gordon M, Wretenberg P, Kärrholm J, Garellick G. **Validation of reoperations due to infection in the Swedish Hip Arthroplast Register.** *BMC Musculoskeletal Disorders*. 2014; 15:384. doi: 10.1186/1471-2474-15-384
- Lübbecke A, Zimmermann-Sloutskis D, Stern R, Roussos C, Bonvin A, Perneger T, Peter R, Hoffmeyer P. **Physical activity before and after primary total hip arthroplasty: a registry-based study.** *Arthritis Care Res*. February 2014; 66(2):277–284. doi: 10.1002/acr.22101

M

- Mäkelä KT, Matilainen M, Pulkkinen P, Fenstad AM, Havelin L, Engesaeter L, Furnes O, Pedersen AB, Overgaard S, Kärrholm J, Malchau H, Garellick G, Ranstam J, Eskelinen A. **Failure rate of cemented and uncemented total hip replacements: register study of combined Nordic database of four nations.** *BMJ*. 2014; 348:f7592. doi: 10.1136/bmj.f7592
- Mäkelä KT, Visuri T, Pulkkinen P, Eskelinen A, Remes V, Virolainen P, Junnila M, Pukkala E. **Cancer incidence and cause-specific mortality in patients with metal-on-metal hip replacements in Finland: a population-based study with a mean follow-up of 4.6 (1–11) years.** *Acta Orthop*. February 2014; 85(1):32–38. doi:

10.3109/17453674.2013.878830.

Markel DC, Allen MW, Zappa NM. **Can an arthroplasty registry help decrease transfusions in primary total joint replacement? A quality initiative.** *Clin Orthop Relat Res.* July 28, 2015 [epub ahead of print]. doi: 10.1007/s11999-015-4470-z.

McMinn DJW, Snell KIE, Daniel J, Treacy RBC, Pynsent PB, Riley RD. **Mortality and implant revision rates of hip arthroplasty in patients with osteoarthritis: registry based cohort study.** *BMJ.* 2012; 344:e3319. doi:10.1136/bmj.e3319

Meftah M, Klingenstein GG, Yun RJ, Ranawat AS, Ranawat CS. **Long-term performance of ceramic and metal femoral heads on conventional polyethylene in young and active patients: A matched-pair analysis.** *J Bone Joint Surg Am.* July 3, 2013; 95(13):1193-1197. doi: 10.2106/JBJS.L.00432

Mehrotra A, Sloss E, Hussey PS, Adams JL, Lovejoy S, SooHoo N. **Evaluation of centers of excellence program for knee and hip replacement.** *Medical Care.* January 2013; 51(1):28-36. doi: 10.1097/MLR.0b013e3182699407

Miric A, Inacio MCS, Kelly MP, Namba RS. **Can total knee arthroplasty be safely performed among nonagenarians? An evaluation of morbidity and mortality within a total joint replacement registry.** *J Arthroplasty.* 2014 Aug; 29(8):1635-38. doi: 10.1016/j.arth.2014.03.014

Miric A, Inacio MCS, Namba RS. **The effect of chronic kidney disease on total hip arthroplasty.** *J Arthroplasty.* 2014 June; 29(6):1225-30. doi: 10.1016/j.arth.2013.12.031

Mohaddes M, Rolfson O, Karrholm J. **Short-term survival of the trabecular metal cup is similar to that of standard cups used in acetabular revision surgery: Analysis of 2,460 first-time cup revisions in the Swedish Hip Arthroplasty Register.** *Acta Orthopaedica.* 2014 Nov; [Epub ahead of print]. doi: 10.3109/17453674.984114

Murgatroyd SE, Framptom CMA, Wright MS. **The effect of body mass index on outcome in total hip arthroplasty: Early analysis from the New Zealand Joint Registry.** *J Arthroplasty.* 2014 Oct; 29(10):1884-88. doi: 10.1016/j.arth.2014.05.024

N

Namba RS, Inacio MCS, Paxton EW. **Risk factors associated with deep surgical site infections after primary total knee arthroplasty: an analysis of 56,216 knees.** *J Bone Joint Surg Am.* May 1, 2013; 95(9):775-782. doi: 10.2106/JBJS.L.00211

Naranje S, Lendway L, Mehle S, Goie TJ. **Does operative time affect infection rate in primary total knee arthroplasty?** *Clin Orthop Relat Res.* January 2015, 473(1): 64-69.

Ng VY, Lustenberger D, Hoang K, Urchek R, Beal M, Calhoun JH, Glassman AH. **Preoperative risk stratification and risk reduction for total joint reconstruction: AAOS Exhibit Selection.** *J Bone Joint Surg Am.* February 20, 2013; 95(4):e19 1-15.

Niemeläinen M, Skyttä ET, Remes V, Mäkelä K, Eskelinen A. **Total knee arthroplasty with an uncemented trabecular metal tibial component: a registry-based analysis.** *J Arthroplasty.* 2014 Jan; 29(1):57-60. doi: 10.1016/j.arth.2013.04.014

Nieuwenhuijse MJ, Nelissen RGHH, Schoones JW, Sedrakyan A. **Appraisal of evidence base for introduction of new implants in hip and knee replacement: a systematic review of five widely used device technologies.** *BMJ.* 2014; 349:g5133. doi: http://dx.doi.org/10.1136/bmj.g5133

Niinimäki T, Eskelinen A, Ohtonen P, Puhto A-P, Mann BS, Leppilahti J. **Total knee arthroplasty after high tibial osteotomy: a registry-based case-control study of 1,036 knees.** *Arch Orthop Trauma Surg.* January 2014; 134(1):73-77. doi: 10.1007/s00402-013-1897-0

Niinimäki T, Eskelinen A, Mäkelä K, Ohtonen P, Ari-Pekka Puhto A-P, Remes V. **Unicompartmental knee arthroplasty survivorship is lower than TKA survivorship: a 27-year Finnish registry study.** *Clin Orthop Rel Res.* May 2014; 472(5):1496-1501. doi: 10.1007/s11999-013-3347-2

O

O'Neill BJ, Nugent M, Cashman JP, O'Flanagan SJ, Keogh P, Kenny PJ. **The Irish National Joint Registry: where are we**

now? *Irish Journal of Medical Science*. March 2014; 183 (1):77-83. doi: 10.1007/s11845-013-0979-x

Owen DH, Russell NC, Smith PN, Walter WN. **An estimation of the incidence of squeaking and revision surgery for squeaking in ceramic-on-ceramic total hip replacement: a meta-analysis and report from the Australian Orthopaedic Association National Joint Registry.** *Bone Joint J*. February 2014; 96-B:181-187. doi: 10.1302/0301-620X.96B2.32784

P

Patel A, Pavlou G, Mújica-Mota RE, Toms AD. **The epidemiology of revision total knee and hip arthroplasty in England and Wales: a comparative analysis with projections for the United States. A study using the National Joint Registry dataset.** *Bone Joint J*. August 2015; 97-B(8): 1076-1081. doi: 10.1302/0301-620X.97B8.35170.

Paxton EW, Ake CF, Inacio MCS, Khatod M, Marinac-Dabic D, Sedrakyan A. **Evaluation of total hip arthroplasty devices using a total joint replacement registry.** *Pharmacoepidemiology and Drug Safety*. 2012; 21(S2):53-59

Pedersen AB, Mehnert F, Havelin LI, Furnes O, Herberts P, Kärrholm J, Garellick G, Mäkela K, Eskelinen A, Overgaard S. **Association between fixation technique and revision risk in total hip arthroplasty patients younger than 55 years of age. Results from the Nordic Arthroplasty Register Association.** *Osteoarthritis and Cartilage*. 2014 May; 22(5):659-67. doi: 10.1016/j.joca.2014.03.005

Peltola M, Malmivaara A, Paavola M. **Learning curve for new technology?: A nationwide register-based study of 46,363 total knee arthroplasties.** *J Bone Joint Surg Am*. December 4, 2013; 95(23):2097-2103. doi: 10.2106/JBJS.L.01296

Pitto RP, Garland M, Sedel L. **Are ceramic-on-ceramic bearings in total hip arthroplasty associated with reduced revision risk for late dislocation?** *Clin Orthop Relat Res*. Dec 2015; 473(12):3790-5. doi: 10.1007/s11999-015-4395-6.

Prokopetz JJ, Katz JN, Losina E, Thornhill TS, Wright J, Lehman LS. **Preceding the procedure: medical devices and shared decision making.** *Arthritis Care Res*. January, 2013; 65(1):148 - 151.

R

Rankin EA. **AJRR: becoming a national US joint registry.** *Orthopedics*. 2013; 36(3):175-176

Rasouli MR, Maltenfort MG, Purtill JJ, Hozack WJ, Parvizi J. **Has the rate of in-hospital infections after total joint arthroplasty decreased?** *Clin Orthop Relat Res*. 2013 Oct; 471(10):3102-11. doi:10.1007/s11999-013-2949-z

Rising JP, Reynolds IS, Sedrakyan A. **Delays and difficulties in assessing metal-on-metal hip implants.** *NEJM*. June 20, 2012. doi: 10.1056/NEJMp1206794

Robertsson O, W-Dahl A. **The risk of revision after TKA is affected by previous HTO or UKA.** *Clin Orthop Relat Res*. January 2015; 473(1): 90-93.

Robinson JC, Pozen A, Tseng S, Bozic, KJ. **Variability in costs associated with total hip and knee replacement implants.** *Journal of Bone and Joint Surgery*. September 2012, 94A (18):1693-1698.

Rosenthal JA, Lu X, Cram P. **Availability of consumer prices from US hospitals for a common surgical procedure.** *JAMA Intern Med*. 2013 Mar 25; 173(6):427-32. doi: 10.1001/jamainternmed.2013.460

S

Sabah SA, Henckel J, Cook E, Whittaker R, Hothi H, Pappas Y, Blunn G, Skinner JA, Hart AJ. **Validation of primary metal-on-metal hip arthroplasties on the National Joint Registry for England, Wales and Northern Ireland using data from the London Implant Retrieval Centre: A study using the NJR dataset.** *Bone Joint J*. January 2015; 97-B(1): 10-18.

Sabah SA, Henckel J, Koutsouris S, Rajani R, Hothi H, Skinner JA, Hart AJ. **Are all metal-on-metal hip revision operations contributing to the National Joint Registry implant survival curves? A study comparing the London Implant Retrieval Centre and National Joint Registry datasets.** *Bone Joint J*. January 2016; 98-B(1):33-39. doi: 10.1302/0301-620X.98B1.36431

Sadoghi P, Leithner A, Labek G. **Overcoming Boundaries of worldwide joint arthroplasty registers: the European Arthroplasty Register minimal dataset.** *J Arthroplasty*. September 2013; 28(8):1327-1328.

Sadoghi P, Liebensteiner M, Agreiter M, Leithner A, Böhler N, Labek G. **Revision surgery after total joint arthroplasty: A complication-based analysis using worldwide arthroplasty registers.** *J Arthroplasty*. September 2013; 28(8):1329-1332. doi:10.1016/j.arth.2013.01.012

Salassa T, Hoeffel D, Mehle S, Tatman P, Gioe TJ. **Efficacy of revision surgery for the dislocating total hip arthroplasty: report from a large community registry.** *Clin Orthop Rel Res*. March 2014; 472 (3):962-967. doi: 10.1007/s11999-013-3344-5

Sarrak KM, Konan S, Pastides PS, Haddad FS, Oussedik S. **Bone loss during revision of unicompartamental to total knee arthroplasty: An analysis of implanted polyethylene thickness from the National Joint Registry data.** *J Arthroplasty*. October 2013; 28(9):1571-1574. doi: 10.1016/j.arth.2013.02.003

Singh JA, Lewallen DG. **Cerebrovascular disease is associated with outcomes after total knee arthroplasty: a US total joint registry study.** *J Arthroplasty*. January 2014; 29(1):40-43.

Singh JA, Lewallen DG. **Medical and psychological comorbidity predicts poor pain outcomes after total knee arthroplasty.** *Rheumatology*. 2013; 52(5):916-23.

Slover J, Zuckerman JD. **Increasing use of total knee replacement and revision surgery.** *JAMA*. September 26, 2012; 308 (12):1266-1268.

Smith AJ, Dieppe P, Howard PW, Blom AW. **Failure rates of metal-on-metal hip resurfacings: analysis of data from the National Joint Registry for England and Wales.** *The Lancet*. November 17-23, 2012; 380 (9855):1759-1766.

Steinmetz A, Emanuel EJ. **What does a hip replacement cost?: Comment on "Availability of Consumer Prices from US Hospitals for a Common Surgical Procedure"** *JAMA Intern Med*. 2013; 173(6):432. doi: 10.1001/jamainternmed.2013.465

Sun SNM, Gillott E, Bhamra J, Briggs T. **Implant use for primary hip and knee arthroplasty: are we getting it right the first time?** *J Arthroplasty*. June 2013; 28(6):908-912.

T
Tomek IM, Sabel AL, Froimson MI, Muschler G, Jevsevar DS, Koenig KM, Lewallen DG, Naessens JM, Savitz LA, Westrich JL, Weeks WB, Weinstein JN. **A collaborative of leading health systems finds wide variations in total knee replacement delivery and takes steps to improve value.** *Health Affairs*. June, 2012; 31 (6):1329-1338.

Torosyan Y, Kurtz SM, Mihalko WM, Marinac-Dabic D, Rimnac CM. **Editorial: Arthroplasty devices: Registries and beyond.** *Clin Orthop Relat Res*. February 2015; 473(2): 403-405.

Tucker K, Pickford M, Newell C, Howard P, Hunt LP, Blom AW. **Mixing of components from different manufacturers in total hip arthroplasty: prevalence and comparative outcomes. A study of over 90,000 cases of mixed components in the National Joint Registry for England and Wales.** *Acta Orthop*. September 1, 2015 [epub ahead of print]. doi: 10.3109/17453674.2015.1074483.

W
Whitehouse SL, Bolland BJRF, Howell JR, Crawford RW, Timperley AJ. **Mortality following hip arthroplasty— inappropriate use of National Joint Registry (NJR) data.** *J Arthroplasty*. 2014 Sept; 29(9):1827-34. doi: 10.1016/j.arth.2014.04.022

Wyatt MC, Frampton C, Horne JG, Devane P. **Mobile- versus fixed-bearing modern total knee replacements – which is the more patella-friendly design? The 11-year New Zealand Joint Registry study.** *Bone Joint Res*. July 2013; 2(7):129-131. doi: 10.1302/2046-3758.27.2000159

Y
Yoshihara H, Yoneoka D. **Trends in the incidence and in-hospital outcomes of elective major orthopaedic surgery in patients eighty years of age and older in the United States from 2000 to 2009.** *J Bone Joint Surg Am*. July 16, 2014; 96(14):1185-1191. doi: 10.2106/JBJS.M.01126